



NK Miniaturen 2016


— N° 1 —




— N° 2 —




— N° 3 —




— N° 4 —




— N° 5 —



— N° 6 —




— N° 7 —



#3

4+3


— N° 8 —



#3

5+2


— N° 9 —



#4

5+2


— N° 10 —



+

4+3

— N° 11 —




SH#7

2+7

seriehelpmat
in 7 zetten

— N° 12 —



SPG 4,0

15+16

Kortste bewijspartij
in 4 zetten
a) diagram; b) - \hat{w} d8

NK Miniaturen 2016

1) Miklos Lokker, 2de prijs *Stella Polaris*, 1966

1. $\mathbb{Q}b7$ 5,0

2) Nils G. G. van Dijk, *Dagbladet*, 1957

1. $\mathbb{Q}c8$ 5,0

3) Roger Diot, *L'Echiquier de Paris*, 1953

1. $\mathbb{Q}b8$ 5,0

4) Robert Kintzig, *Uj Nemzedek*, 1923

1. $\mathbb{Q}d4$ 5,0

5) Sveto Štambuk, *Sahovski vjesnik*, 1952

1. $\mathbb{Q}e4$ 5,0

6) Josip Varga, *Die Schwalbe*, 1977

1. $\mathbb{Q}d5$ 5,0

7) Karel Traxler, 2de prijs *Svenska Dagbladet*, 1928

1. $\mathbb{Q}g4!$ (dreigt 2. $\mathbb{Q}d4+$) 1,0 + 1,0

1... $\mathbb{Q}e8$ 2. $\mathbb{Q}h5+$ 1,0

1... $e5$ 2. $\mathbb{Q}xf5$ 1,0

1... $fxg4$ 2. $\mathbb{Q}c6$ 1,0

8) Nikolay Belik, prijs *Shakh-M*, 1987

1. $\mathbb{Q}bc4!$ (zetdwang) 2,0

1... $\mathbb{Q}b5$ 2. $\mathbb{W}b6+$ 0,5

1... $\mathbb{Q}b1/\mathbb{Q}c2/\mathbb{Q}f5/\mathbb{Q}g6/\mathbb{Q}h7$ 2. $\mathbb{W}e5$ 0,5

1... $\mathbb{Q}d3$ 2. $\mathbb{W}b6+$ 0,5

1... $\mathbb{Q}h1/\mathbb{Q}g2/\mathbb{Q}f3/\mathbb{Q}b7/\mathbb{Q}a8$ 2. $a4$ 0,5

1... $\mathbb{Q}c6$ 2. $\mathbb{W}a3+$ 0,5

1... $\mathbb{Q}d5$ 2. $\mathbb{W}b3+$ 0,5

9) Juri Randviir, *Springaren*, 1990

1. $h7!$ $\mathbb{Q}g8$ 2. $\mathbb{Q}a2$ (dreigt 3. $hxg8\mathbb{Q}$)

2... $\mathbb{Q}xa2$ 3. $hxg8\mathbb{Q}+$ 2,5

2... $\mathbb{Q}f6$ 3. $g8\mathbb{Q}$ 2,5

10) Vitaly Kovalenko, speciale prijs *Sochniev JT*, 2002

1. $\mathbb{Q}b6$ 1,0

1... $\mathbb{Q}h5$ 2. $\mathbb{Q}d7+$ $\mathbb{Q}e7$ 3. $\mathbb{Q}f6$ 2,0

3... $\mathbb{Q}xf6$ 4. $\mathbb{Q}g4+$ $\mathbb{Q}g6$ 5. $\mathbb{Q}f6+$ 1,0

5... $\mathbb{Q}xf6$ 6. $\mathbb{Q}xh5$ $\mathbb{Q}e7$ 7. $h7$ +— 1,0

* 1. $\mathbb{Q}h1?$ $\mathbb{Q}xa8$ 2. $h7$ $\mathbb{Q}g7$; 1. $\mathbb{Q}g1?$ $\mathbb{Q}h5$

* Na 1... $\mathbb{Q}g8$ volgt een lange technische winst: 2. $\mathbb{Q}d7$ $\mathbb{Q}h7$ 3. $\mathbb{Q}h1$ $\mathbb{Q}a6$ 4. $\mathbb{Q}f8+$ $\mathbb{Q}h8$ 5. $h7$ $\mathbb{Q}a8$ 6. $\mathbb{Q}d7$ $\mathbb{Q}g7$ 7. $\mathbb{Q}f5$

$\mathbb{Q}h8$ (7... $\mathbb{Q}c8$ 8. $\mathbb{Q}f6$ $\mathbb{Q}h8$ 9. $\mathbb{Q}e4$ $\mathbb{Q}g7$ 10. $\mathbb{Q}g5$ $\mathbb{Q}h8$ 11. $\mathbb{Q}a1$ $\mathbb{Q}b8$ 12. $\mathbb{Q}a7$ $\mathbb{Q}h8$ 13. $\mathbb{Q}g4$ $\mathbb{Q}c8$ 14. $\mathbb{Q}h5$ $\mathbb{Q}b8$ 15. $\mathbb{Q}xf7$ $\mathbb{Q}a8$ 16. $\mathbb{Q}f6$ $\mathbb{Q}b8$ 17. $\mathbb{Q}h6$) 8. $\mathbb{Q}f6$; 1... $\mathbb{Q}a6$ 2. $\mathbb{Q}g1$ $\mathbb{Q}xb6$ 3. $h7$ $\mathbb{Q}h6$ 4. $\mathbb{Q}g8+$

* 3... $\mathbb{Q}xh6$ 4. $\mathbb{Q}g8+$

11) L. Graf, *feenschach*, 1969

1. $\mathbb{Q}e3$ 2. $\mathbb{W}d3$ 3. $\mathbb{Q}e4$ 4. $\mathbb{Q}d4$ 5. $\mathbb{Q}e5$ 6. $d5$ 7. $\mathbb{Q}f5$ $f3\#$ 5,0

12) Martin Hoffmann, *Schweizerische Schachzeitung*, 1989

a) 1. $d3$ $e5$ 2. $\mathbb{W}d2$ $\mathbb{Q}a3$ 3. $\mathbb{W}b4$ $f6$ 4. $\mathbb{W}f8+$ $\mathbb{Q}xf8$ 2,5

b) 1. $d3$ $e5$ 2. $\mathbb{Q}h6$ $\mathbb{W}g5$ 3. $\mathbb{W}c1$ $\mathbb{W}xc1+$ 4. $\mathbb{Q}xc1$ $f6$ 2,5